










© Carl Roessler





© Carl Roessler





























Bar QD 100 $\mu$ m








|   |   |   |   |   |   |   |   |  |
|---|---|---|---|---|---|---|---|--|
|   |   |   |   | X |   |   |   |  |
| X |   | X | X | X | X |   |   |  |
|   | X |   | X | X |   | X | X |  |
| X | X | X | X | X | X |   |   |  |
|   | X | X | X | X | X |   | X |  |
| X | X | X | O | X | X | X | X |  |
| X | X | X | X | X | X | X |   |  |
| X | X | X | X | X |   | X | X |  |
|   | X |   | X | X | X | X |   |  |
|   | X |   | X |   |   |   |   |  |
| X |   | X |   |   |   |   |   |  |
|   | X |   |   |   |   |   |   |  |






















o o o o  
o o o o o o  
o o c o o o o  
o o o o o o  
o o o o o o  
o o o o o o  
o o o o


C C C C  
C C C C C C  
C C C C C C C  
C C C C C C C  
C C O C C C C  
C C C C C C C  
C C C C C C




K N P N  
F E C P F  
N K K C P  
K N C P F  
N F K P



и п и  
е п е  
к к к  
п п п  
к н к  
и и и





## Basic random walk discriminator





Attentional limitation scale factor


$$A_n = n^{-\gamma} \text{ limitation parameter}$$

$$S_n = (S_1) \times A_n$$

$$V_n = (V_1) \times A_n$$

increment parameters


$$A_1 = 1 \quad A_2 = 2^{-\gamma} \quad A_4 = 4^{-\gamma}$$



Criterial relaxation with set size

$$T_n = \frac{T_1}{n^{\frac{C}{2}}} \quad \text{for } n > 1$$

relaxation parameter



# attentional limitation & criterial relaxation

